	Application No.	Applicant(s)
Notice of Allowability	10/705,902	MITSUISHI, NAOKI
	Examiner	Art Unit
	Glenn A. Auve	2111
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in or other appropriate communication is substitution in	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to the amendment filed 3 February 2006.		
2. The allowed claim(s) is/are <u>5-7,9 and 14-17</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	n No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or i	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•	4	
	•	
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Su	mmary (PTO-413), //ail Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. 🛛 Examiner's A	Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's S	Statement of Reasons for Allowance
	9.	Dh. A.K.
	·	Glenn A. Auve Primary Patent Examiner Technology Center 2100

Application Number: 10/705,902

Art Unit: 2111

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Juan Carlos Marquez on 24 April 2006.

The application has been amended as follows:

In claim 7, line 11, change "request" to "requesting";

In claim 14, line 1, change "microcomputer" to "semiconductor integrated circuit"; and In claim 15, line 1, change "microcomputer" to "semiconductor integrated circuit".

2. The following is an examiner's statement of reasons for allowance: the examiner generally agrees with applicant's arguments regarding the allowability of the claims as set forth on pages 7-9 of the remarks filed 3 February 2006. However, it is noted that applicant states regarding claims 5 and 6 that Bell does not show the bridge comprises a central processing unit. While this is true, the implication is that the claims require that the bridge comprise a central processing unit. The claims do not include any such limitations. But the examiner agrees with the other arguments set forth.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application Number: 10/705,902

Art Unit: 2111

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn A. Auve whose telephone number is (571) 272-3623. The examiner can normally be reached on M-F 8:00 AM-5:30 PM, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on (571) 272-3632. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Glenn A. Auve Primary Examiner Art Unit 2111

gaa 24 April 2006